Eicher Pro 6031

The 31 ton GVW truck

TRUCKS

MAXIMUM LIFETIME PROFITABILITY



Eicher Pro 6031

Best in class fuel efficiency, faster turnaround and comfortable drive leads to higher Vehicle Lifetime Profitability!

Eicher Pro 6031 is the new generation 31 ton GVW truck, all set to redefine the trucking experience with its unmatched overall performance. Equipped with highly fuel efficient 4 cylinder 4 valve engine built on a global platform and a new generation cabin with host of safety and comfort features, Eicher Pro 6031 ensures higher productivity hence leading to higher profitability for its owner.



Best in class fuel efficiency

Superior uptime



Faster turnaround time.



Unmatched cabin comfort with state of the art features



Optimized maintenance cost



VEDXS ENGINE -DESGINED IN ASSOCIATION WITH VOLVO GROUP



Next generation 4 cylinder 4 valve CRS engine

EMS 3.0 — Volvo Group's Engine Management System

Max power output- 210 HP @ 2200 rpm

Max torque output – 825 Nm @ 1200–1600 rpm

Next generation 4 cylinder engine with high combustion efficiency and low parasitic losses leading to higher fuel efficiency

Advanced fuel injection technology

Protection against overheating at low oil pressure and high coolant temperature increases durability of the engine

Longer oil drain intervals



The Eicher Pro Series is a range of next generation trucks and buses from 5 to 49 tons, designed to take the industry to a new PROfessional level. It brings together the Volvo Group's world class technology and processes and the frugal engineering and local expertise of Eicher. In keeping with the 'Go PRO' philosophy, the Eicher PRO Series PROmises to deliver higher PROfitability and more PROsperity to its customers. This it fulfills, through best in class fuel efficiency, superior uptime and better overall vehicle performance.

NEXT GENERATION CABIN



Fully suspended cabin with hydraulic tilt mechanism

CED paint for improved corrosion resistance and enhanced gloss

Dual panel cabin for high strength and safety



Curved dashboard with convenient position of instruments and controls providing best possible view and operation


Unmatched driveline



395mm dia. clutch with clutch booster



ET9056 gearbox



Lubricated for life propeller shaft



458 mm dio, crown with heavy duty axles

Modern aesthetics



Aerodynamic cabin with new and modern styling



Bigger and stylish integrated headlamps with more light intensity



Instrument cluster with LCD display



Bigger and stylish room lamp

Enhanced convenience and comfort



Tilt & telescopic steering Ergonomically designed



gear lever position



Wider door opening



6 way adjustable driver seat

Stronger aggregates



Wider joggled frame Domex chassis with high tensile strength



Front suspension with ARB (Anti Roll Bar)



Air processing and distribution assembly for longer life and effective broking



Tool box with lock provision

Next generation features


Fuel coaching system for real time guidance to driver for economical driving practices



When to accelerate



When to change gear



Driving ok !!

Cruise control for comfortable longer drives



Intelligent driver information system giving information on operational data, fuel consumption and on board diagnostics 01.01.2014

Eicher Pro 6031

Model

Eicher Pro 6031

Type of body	TRUCK	Covered Van
Tyres size	F\$A 10 R 20-16 PR. 12(Twelve)	F\$A 10 R 20-16 PR. 12(Twelve)
Wheelbase (mm)	6150	6150
GVW(kgs)	31000	31000
Unladen Weight(kgs)	12412	12412
FAW(kgs)	12000	12000
RAW(kgs)	19000	19000
Front Overhang (mm)	1420	1420
Rear overhang (mm)	1505	1505
Overall length (mm)	9790	9790
Overall width (mm)	2612	2612
Overall height (mm)	3050	4100
Cargo body length (mm)	7315	7315
Cargo body width (mm)	2500	2500
Cargo body Height (mm)	1676	2550
Cubic Capacity	5131 CC	
Engine	VEDX5, BSIII Engine	
Max. power	210HP @ 2200rpm	
Max. torpue	825Nm @ 1200 - 1600rpm	
Gear Box	ET90S6, 6 forward { 1 reverse	
Clutch type	Hydraulicaally actuated push type, booster assisted (395 mm)	
Front Axle	Twin steer axle – Reverse Elliot, 'I' beam	
Rear Axle	Heavy duty fully flooting	
Chassis	Joggld frame with 285 x 76 x 7mm	
Brakes	Service brake: Dual circuit full air, 'S' cam Parking brake: Pneumatic hand operated	
Suspension	Semi elliptical laminated leaf springs with hyd. Type double actin telescopic shock absorbers with ARB in front. Semi elliptical laminated leaf springs with Bell cranck aechaism at near.	
Steering	Tilt and Telescopic hydraulic power stering	
Gradeabilty	20%	
Ground clearance	267m	
Fuel tank	415 Ltrs	
Electricals	24 v	
Variants	CBC, FSD, HSD	



EICHER SERVICEAVAILABLE ANYWHERE, ANYTIME

Eicher has an extensive service reach and no matter where you are, Eicher service is never too far away. Eicher has wide and expanding authorized contact points across the country with professionally trained dealership service team ensuring your vehicle is in safe hands. What's more, Eicher genuine spares made to the specifications are economical and widely available across service centers and spares outlets across the country.







Easy spare parts availability



Support ON-SITE

01730 406484

01730 405566

01796 554433

CAUTION: • Do not weld or drill on chassis frame. • Accessories and features shown in picture or elsewhere may not constitute standard fitment.
• As a result of continuous research and innovations carried out, specifications are merely indicative and are subject to change without notice



Authorized Distributor:

Live your dream... Lead your life!

RUNNER MOTORS LTD

5997 138/1, Tejgaon I/A, Dhaka-1208, Bangladesh E mail: runnerImd@gmail.com; Web: www.runnerbd.com/motors

(A Volvo Group and Eicher Motors joint venture) # 96, Sector 32, Gurgaon 122001. India. Phone: +91 0124-4415600 Fax: +91 0124-4415997 www.eicher.in/etb