

Ready For **EVERY CHALLENGE**

EICHER PRO 3015



Eicher Pro 3015

Redefining levels of performance and profitability, leading to high Vehicle Lifetime Profitability (VLP)



Best-in-class fuel efficiency



High Payload



Modern world-class sleeper cabin comfort



Fast pick-up and acceleration



Superior uptime



Optimized maintenance cost



EICHER E494-HIGH PERFORMANCE ENGINE



DISPLACEMENT-3770CC

EICHER Pro 3000 Series trucks are solidly backed by the high performance E494 engine. With the new generation CRS 4 cylinder 4 valve engine and Volvo Group EMS 3.0, Eicher E494 delivers class-leading fuel efficiency and superior performance. They also have high combustion efficiency and low parasitic losses, leading to higher productivity and profitability.

FIE SYSTEM WITH ADVANCED JAPANESE TECHNOLOGY

The highly robust and reliable Japanese FIE (Fuel Injection Equipment) system delivers highest sustained fuel pressure maintaining optimum fuel economy.

GO PRO

The Eicher Pro Series is a range of next-generation trucks and buses from 5 to 49 tons, designed to take the industry to a new **PRO**fessional level. It brings together the Volvo Group's world-class technology and processes and the frugal engineering and local expertise of Eicher. In keeping with the 'Go **PRO**' philosophy, the Eicher **PRO** Series **PRO**promises to deliver higher **PRO**fitability and more **PRO**sperty to its customers through best-in-class fuel efficiency, superior uptime and better overall vehicle performance.

NEXT GENERATION SLEEPER CABIN



Modern world-class spacious cabin with state-of-the-art features

Designed to provide best-in-class comfort and a superior ride

Digital instrument panel with advanced features like cruise control and fuel coaching for driver assist

CED painted cabin with high gloss life

OTHER FEATURES

Dual panel cabin/ 3 point ELR seat belt/ Battery carrier with air tank mountings for easy serviceability/ Rest kit & sleeper cab availability as option/ Wide angle ORVM / Butterfly quarter glass for better ventilation / Bumper integrated headlamp / Lower footstep height

Superior aesthetics



Aerodynamic Cabin with modern styling



Dual panel cabin with cockpit-like styling



Instrument panel with trip mileage meter and diagnostics

Enhanced convenience



Lockable glove box



Heavy tray on both sides inside the cabin



Stylish room lamp



Clutch pedal foot and heel pad

Supreme comfort



Hybrid GSL



Tilt and Telescopic steering



Wide door opening (up to 80 degree)



6-way adjustable driver seat

Rugged aggregates



6-speed OD gearbox



Domex chassis with high tensile strength



Air processing distribution assembly for long life effective braking



Monotron propeller shaft, "lubricated for life"

NEXT GEN FEATURES



IDIS - Intelligent Driver Information System giving information on operational data, fuel consumption and on board diagnostics



Cruise control comfortable for longer drive (first time in Indian commercial vehicle industry)



Fuel coaching and on-board diagnostic with real time guidance to drivers

When to accelerate



When to accelerate



Driving ok!!

Applications

Eicher Pro 3015 is suited for varied application



Wheelbase	: 4490 mm	5490 mm
GVW	: 11900 kgs	15700 kgs
FAW (Laden)	: 4000 kgs	5500 kgs
RAW (Laden)	: 7900 kgs	10200 kgs
Cargo Body Length	: 5850 mm	7360 mm
	: 19 ft	24 ft
Cargo Body Width	: 2370 mm	2470 mm
	: 7.68 ft	8.10 ft
Overall Length	: 8085 mm	9580 mm
Overall Width	: 2370 mm	2470 mm
Overall Height	: 2820 mm	2820/3700 mm (open/covered)
Front Overhang	: 1350 mm	1345 mm
Rear Overhang	: 2245 mm	2745 mm
Engine	E494- 4 Cylinder, 4 Valve, Turbocharger with Intercooler, Direct injection, Water cooled, Disel CRS Engine with Volvo Group EMS 3.0	
Displacement	: 3770 CC	
Emission	: BSIII	
Max Power Output	: 150 HP @ 2600 rpm	
Max Torque Output	: 490 NM @ 1400-1600 rpm	
FIP System	: CRS	
Transmission	: ET 40S6 - 6 Speed (6 forward, 1 reverse with OD on 6th speed gear) with hybrid GSL	
Gear Type	: 6th speed gear	
Clutch Dia	: 330 mm	
Gradeability	: 25%	
Steering	: Tilt and Telescopic Hydraulic power steering (6 degree tilling and 30mm telescopic movement)	
Ground Clearance	: 258 mm	
TCD (Turning centre dia.)	: 17.5 @ 4490 wheelbase & 21.6 @ 5490 wheelbase	
Battery	: 12V-100AH	
Fuel Tank Capacity	: 190 ltr	
Brakes	(Service)	: Dual circuit, Full air S cam with VOSS fitment
	(Parking)	: Graduated hand control valve system (at rear wheel only)
	(Exhaust)	: Pneumatically activated automatic
Suspension	(Front)	: Parabolic laminated leaves (with shock absorber & antiroll bar)
	(Rear)	: Semi elliptical laminated leaves
Tyre	: 9.00 X 20 - 16PR Radial steel (6+1 Tyres)	
	: 2.1 m wide Aerodynamic designed next generation	
Cabin	: Sleeper Tilttable cabin with a host of features for driver comfort & for the first time - Cruise control	
Chassis Type	: DOMEX 'C' Channel Ladder straight type bolt joint with CED painted chassis frame	
Chassis frame	: depth: 210 mm (max), width: 76 mm and	
C Channel Dimension	: thickness: 6 mm with 5mm thick stiffener plate	



EICHER SERVICE AVAILABLE ANYWHERE, ANYTIME

Eicher has an extensive service reach and no matter where you are Eicher service is never too far away. Eicher has wide and expanding authorized contact points across the country with professionally trained dealership service team ensuring your vehicle is in safe hands. What's more, Eicher genuine spares made to the specifications are economical and widely available across service centers and spares outlets across the country.

wecare@runnerbd.com
only WhatsApp
01730406484

For Sales Query
01730406484

For Parts Query
01730405566

Eicher Service Van
01796554433

VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE

RUNNER
motors limited

(A Volvo Group and Eicher Motors joint venture)
96, Sector 32, Gurgaon 122001, India.
Phone: +91 0124-4415600
Fax: +91 0124-4415997
www.eicher.in/etb

Authorized Distributor:
RUNNER MOTORS LTD
138/1, Tejgaon I/A, Dhaka-1208, Bangladesh
E mail: rmlsales@runnerbd.com
Web: www.runnerbd.com/motors